

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : DURCISSEUR POUR LA GAMME EKORENOV.

Product code : DURCISSEUR FEVR2023..

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hardener for the EKORENOV range for professional use.

1.3. Details of the supplier of the safety data sheet

Registered company name : PEINTURES CIMENTOL.

Address : 7 route de Bû - ZAC de la Prévôté.78550.Houdan..

Telephone : +33 (0)1 30 46 19 70. Fax : +33 (0)1 30 46 19 74.

peintures.cimentol@cimentol.com

www.cimentol.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute inhalation toxicity, Category 4 (Acute Tox. 4, H332).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07



GHS05

Signal Word :

DANGER

Product identifiers :

EC 931-274-8

EC 931-274-8

EC 931-312-3

CAS 9046-01-9

OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE

OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES.

3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS

POLYOXYETHYLENE TRIDECYL ETHER PHOSPHATE

Additional labeling :

EUH204

Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

Hazard statements :

H317

May cause an allergic skin reaction.

H318

Causes serious eye damage.

H332

Harmful if inhaled.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention :

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P271

Use only outdoors or in a well-ventilated area.

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ...
Precautionary statements - Response :	
P302 + P352	IF ON SKIN: Wash with plenty of water/...
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...
P312	Call a POISON CENTER/doctor/... if you feel unwell.
P321	Specific treatment (see ... on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Storage :	
P405	Store locked up.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification (EC) 1272/2008	Note	%
CAS: 28182-81-2 EC: 931-274-8 REACH: 01-2119485796-17-xxxx OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE	GHS07 Wng Skin Sens. 1, H317 STOT SE 3, H335		25 \leq x % < 50
CAS: 28182-81-2 EC: 931-274-8 REACH: 01-2119485796-17-xxxx OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES.	GHS07 Wng Skin Sens. 1, H317 Acute Tox. 4, H332 STOT SE 3, H335		25 \leq x % < 50
CAS: 53880-05-0 EC: 931-312-3 REACH: 01-2119488734-24-xxxx 3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS	GHS07 Wng Skin Sens. 1, H317 STOT SE 3, H335		10 \leq x % < 25
CAS: 9046-01-9 POLYOXYETHYLENE TRIDECYL ETHER PHOSPHATE	GHS05, GHS09 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411		2.5 \leq x % < 10

Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 28182-81-2 EC: 931-274-8 REACH: 01-2119485796-17-xxxx OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE		inhalation: ATE = 0.39 mg/l (dust/mist)
CAS: 53880-05-0 EC: 931-312-3 REACH: 01-2119488734-24-xxxx 3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS		inhalation: ATE = 5.01 mg/l (vapours)

Information on ingredients :

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures**In the event of exposure by inhalation :**

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

Do not proceed with mouth-to-mouth or mouth-to-nose resuscitation. Use the appropriate equipment.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

Contaminated areas must be cleaned very quickly.

A possible decontaminant for flammable products may be : (expressed by volume) water (45 parts), ethanol or isopropanol (50 parts), concentrated ammonia (d-0.880) (5 parts). For non-flammable products: sodium carbonate (5 parts), water (95 parts).

This residue must be stored for disposal in compliance with current regulations (see section 13).

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.**Storage**

Keep the container tightly closed in a dry, well-ventilated place.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS (CAS: 53880-05-0)

Final use:	Workers.
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	0.58 mg of substance/m3

Exposure method:	Inhalation.
Potential health effects:	Long term local effects.
DNEL :	0.29 mg of substance/m3

OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES. (CAS: 28182-81-2)

Final use:	Workers.
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	1 mg of substance/m3

Exposure method:	Inhalation.
Potential health effects:	Long term local effects.
DNEL :	0.5 mg of substance/m3

OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE (CAS: 28182-81-2)

Final use:	Workers.
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	1 mg of substance/m3

Exposure method:	Inhalation.
Potential health effects:	Long term local effects.
DNEL :	0.5 mg of substance/m3

Predicted no effect concentration (PNEC):

3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS (CAS: 53880-05-0)

Environmental compartment:	Fresh water.
PNEC :	0.0015 mg/l

Environmental compartment:	Sea water.
PNEC :	0.00015 mg/l

Environmental compartment:	Intermittent waste water.
PNEC :	0.015 mg/l

Environmental compartment:	Waste water treatment plant.
----------------------------	------------------------------

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

PNEC : 100 mg/l

OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES. (CAS: 28182-81-2)

Environmental compartment: Soil.

PNEC : 53.2 g/kg

Environmental compartment: Fresh water.

PNEC : 127 µg/l

Environmental compartment: Sea water.

PNEC : 12.7 µg/l

Environmental compartment: Intermittent waste water.

PNEC : 1270 µg/l

Environmental compartment: Fresh water sediment.

PNEC : 266.7 g/kg

Environmental compartment: Waste water treatment plant.

PNEC : 38,28 mg/l

OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE (CAS: 28182-81-2)

Environmental compartment: Soil.

PNEC : 53.2 g/kg

Environmental compartment: Fresh water.

PNEC : 127 µg/l

Environmental compartment: Sea water.

PNEC : 12.7 µg/l

Environmental compartment: Intermittent waste water.

PNEC : 1270 µg/l

Environmental compartment: Fresh water sediment.

PNEC : 266.7 g/kg

Environmental compartment: Waste water treatment plant.

PNEC : 38.28 mg/l

8.2. Exposure controls**Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Antistatic gloves in accordance with standard EN16350

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling vapors.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****Physical state**

Physical state : Viscous liquid.

Colour

Unspecified

Odour

Odour threshold : Not stated.

Melting point

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not relevant.

Flammability

Flammability (solid, gas) : Not stated.

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) Not stated.
:
Explosive properties, upper explosivity limit (%) Not stated.
:

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range : Not relevant.

pH

pH (aqueous solution) : Not stated.

pH : Not stated.

Kinematic viscosity

Viscosity : Not stated.

Solubility

Water solubility : Dilutable.

Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : > 1

Relative vapour density

Vapour density : Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

Keep away from oxidising agents and strongly acidic or basic materials to avoid exothermic reactions.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

The mixture can also release hydrogen cyanide, amines and alcohols.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Harmful by inhalation.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

May cause an allergic reaction by skin contact.

Based on isocyanate properties and considering the toxicological data of similar mixtures, this preparation may cause irritations and/or sensitisations of the respiratory system.

It may therefore bring about asthma, respiratory difficulties and angina pectoris.

Those susceptible may display asthmatic symptoms when exposed to atmospheres with an isocyanate concentration well below those of the VLE : exposure limits.

Repeated exposure may cause permanent respiratory problems.

11.1.1. Substances**Acute toxicity :**

3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS (CAS: 53880-05-0)

Oral route : LD50 > 14000 mg/kg bodyweight/day
Species : Rat
Other guideline

Inhalation route (Vapours) : LC50 = 5.01 mg/l

OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES. (CAS: 28182-81-2)

Oral route : LD50 > 2500 mg/kg bodyweight/day
Species : Rat
OECD Guideline 423 (Acute Oral toxicity Acute Toxic Class Method)

Dermal route : LD50 2000 mg/kg bodyweight/day
Species : Rat
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist) : LC50 0.39 mg/l
Species : Rat
OECD Guideline 403 (Acute Inhalation Toxicity)

OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE (CAS: 28182-81-2)

Oral route : LD50 > 2500 mg/kg bodyweight/day
Species : Rat
OECD Guideline 423 (Acute Oral toxicity Acute Toxic Class Method)

Dermal route : LD50 > 2000 mg/kg bodyweight/day
Species : Rabbit
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist) : LC50 = 0.390 mg/l
Species : Rat
OECD Guideline 403 (Acute Inhalation Toxicity)

Specific target organ systemic toxicity - single exposure :

OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES. (CAS: 28182-81-2)

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

Species : Rat

11.1.2. Mixture**Respiratory or skin sensitisation :**

Contains isocyanates. May cause an allergic reaction.

11.2. Information on other hazards**SECTION 12 : ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity**12.1.1. Substances**

POLYOXYETHYLENE TRIDECYL ETHER PHOSPHATE (CAS: 9046-01-9)

Fish toxicity : LC50 = 10 mg/l
Species : Danio rerio
Duration of exposure : 96 h

3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS (CAS: 53880-05-0)

Fish toxicity : LC50 > 1.51 mg/l
Duration of exposure : 96 h
Other guidelineCrustacean toxicity : EC50 > 3.36 mg/l
Species : Daphnia magna
Duration of exposure : 48 h
OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)Algae toxicity : ECr50 > 3.1 mg/l
Species : Desmodesmus subspicatus
Duration of exposure : 72 h
OECD Guideline 201 (Alga, Growth Inhibition Test)Aquatic plant toxicity : ECr50 > 10000 mg/l
Species : Others
Duration of exposure : 3 h
Other guideline

OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE (CAS: 28182-81-2)

Fish toxicity : Duration of exposure : 72 h
NOEC >= 82.8 mg/l
Species : Brachydanio rerio
Duration of exposure : 96 h
REACH Method C.1 (Acute Toxicity for Fish)Crustacean toxicity : EC50 = 127 mg/l
Species : Daphnia magna
Duration of exposure : 48 h
REACH Method C.2 (Acute Toxicity for Daphnia)Algae toxicity : ECr50 = 370 mg/l
Species : Desmodesmus subspicatus
Duration of exposure : 72 h

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

REACH Method C.3 (Algal Inhibition test)

NOEC > 1000 mg/l

Species : *Desmodesmus subspicatus*

Duration of exposure : 96 h

REACH Method C.3 (Algal Inhibition test)

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability**12.2.1. Substances**

POLYOXYETHYLENE TRIDECYL ETHER PHOSPHATE (CAS: 9046-01-9)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

3- ISOCYANATOMETHYL -3,5,5- T R IMETHYLCYCLOHEXYLISOCYANATE OLIGOMERS (CAS: 53880-05-0)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

OLIGOMERES DE L'HEXAMETHYLENE D'ISOCYANATES, ISOCYANURATES. (CAS: 28182-81-2)

Biodegradability :

Non-rapidly degradable.
BOD5/COD 1

OLIGOMÈRES DE L'HEXAMÉTHYLÈNE DIISOCYANATE (CAS: 28182-81-2)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): <https://echa.europa.eu/substances-restricted-under-reach>.

As from 24 August 2023 adequate training is required before industrial or professional use.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

DURCISSEUR POUR LA GAMME EKORENOV. - DURCISSEUR FEVR2023.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.